

April 03, 2024

CITY OF TALLAHASSEE

Petitioner.

VS.

DIXON SADIE 1404 N RANDOLPH CIR TALLAHASSEE FL 32308

Respondent

Case No.: **TCE240226** 

Location of Violation: 1404 N RANDOLPH CIR

Tax ID #: 111730 V0360

The appearance of our community and how individual properties are maintained has a significant impact on the quality of life in our neighborhoods. A recent inspection of your property revealed that certain conditions found do not comply with City code. These violations, the corrective action required and the time frame for completing that corrective action are noted on the attached violation detail.

Pursuant to Chapter 162 of the Florida Statutes, and Chapter 2 of the Code of General Ordinances of the City of Tallahassee, the Code Enforcement Officer hereby gives the notice of a violation on the above referenced property and hereby requests that a Hearing be scheduled before the Code Magistrate.

You must correct the violation described herein within the number of days noted on the attached violation detail. Once corrected, you must contact the City Code Enforcement Division at **(850) 891-7007** to arrange a reinspection of the property to verify the violation has been corrected and the property is in compliance with the Municipal Code cited herein.

You are hereby given notice that pursuant to Chapter 162, Florida Statutes, and Chapter 2 of the Code of General Ordinances of the City of Tallahassee, a hearing will be conducted on the above referenced case before the Code Magistrate on 06/04/2024 at 1:00 pm, or as soon thereafter as said matter can be heard in the 2nd Floor Conference Room, Renaissance Center, 435 N Macomb Street, Tallahassee, Florida. If the violation(s) are corrected within the number of days noted on the attached violation detail, you may not have to appear before the Code Magistrate.



Notice of Violation and Notice of Hearing

Page 2

The City's Board and Seal Ordinance, (Section 3-371, Tallahassee Land Development Code), includes a time limit for a structure to remain boarded. Cases involving boarded structures will be taken to the **Code Magistrate** for an order to be issued determining the time limit. If removal of boards reveals other code violations, those violations must also be corrected.

The Code Magistrate will receive testimony and evidence at said hearing and shall make findings of fact as are supported by the testimony and evidence pertaining to the matters alleged herein. If you fail to appear, the Code Magistrate may base its findings and conclusions solely on the testimony and evidence presented by the Code Enforcement Division.

Should you be found in violation of the Municipal Code, the Code Magistrate may impose a fine up to \$250.00 per day, per violation for each day that the violation(s) continues beyond the compliance date established by the Code Magistrate in the Final Order. If the Code Enforcement Board or Code Magistrate has previously declared you to be a repeat violator, the Code Magistrate may impose a fine of up to \$500.00 per day, per violation for each day the violation continues beyond the compliance date established by the Code Magistrate.

If any person desires to appeal any decision, with respect to the matter considered at these meetings, such person will need a record of the proceedings and that, for this purpose, such person may need to ensure that a verbatim record of the proceedings is made, which includes the testimony and evidence upon which the appeal is based. The City of Tallahassee does not provide or prepare such a record (refer to Section 286.0105, Florida Statutes).

Any party aggrieved by the decisions of the **Code Magistrate** may appeal the decision to the Leon County Circuit Court within 30 days of the execution of the order.

Building permits may be required before repairs or alterations can be made to any building. Building and demolition permits may be obtained from the City's Building Inspection Division, located at 435 N. Macomb Street, 1st Floor, telephone number (850) 891-7125.

If you have any questions concerning this notice or the hearing process, please contact our office at (850) 891-7007 or visit our office in the Renaissance Center located at 435 N. Macomb Street, Third Floor, Tallahassee, Florida. Once you correct the violation(s), contact our office immediately to request an inspection.

Sincerely,

### Lesa Vause

Code Enforcement Division



### Housing and Community Resilience Code Enforcement

### **Notice of Violation**

Code Officer: Lesa Vause Permit No.: NA

Initial Inspection Date: 02/02/2024 Case No.: TCE240226

Tax Identification Number: 111730 V0360 Repeat Offender: No

Violation Address: 1404 N RANDOLPH CIR

Owner(s):

DIXON SADIE 1404 N RANDOLPH CIR TALLAHASSEE FL 32308

You are required to correct the following code violations within 30 days of receipt of this notice.

Code(s) in Violation:

#### Chapter 3, Article XI, Section 3-571, International Property Maintenance Code

1 IPMC Chapter 3, Section 304 ~ Exterior Structure

### Corrective Actions Required:

Remove all damaged building materials from the roof and garage area that were damaged by the fallen tree. Repair the roof, siding, walls, and windows with good material.

If you have any questions concerning these violations, please call our office at (850) 891-7007.

Boarding a structure will not bring the property into compliance. If windows and doors are boarded the case will be scheduled for a hearing before the Municipal Code Enforcement Board whereby the City will request an order be issued to set a time limit on the boarding of the structure.

Building permits may be required before repairs or alterations can be made to any building. Building and demolition permits may be obtained from the City's Building Inspection Division, located at 435 N. Macomb Street, 1st Floor, telephone number (850) 891-7001 option 2.

City of Tallahassee 300 S Adams St. B-15 Tallahassee FL 32301 **USPS CERTIFIED MAIL** 



9214 8901 9403 8355 6456 68

TCE240226 NOV/NOH INITIAL DIXON SADIE 1404 N RANDOLPH CIR TALLAHASSEE FL 32308-0722

Return Reference Number: Username: Denise Garrett

Custom 1: Custom 2:

Custom 3:

Custom 4:

Custom 5:

Postage: \$7.3600



April 03, 2024

CITY OF TALLAHASSEE

Petitioner.

VS.

BARKER ROGER E 3072 HUNTINGTON WOODS TALLAHASSEE FL 32303

Respondent

Case No.: TCE240500

Location of Violation: 3072 HUNTINGTON WOODS BLVD

Tax ID #: 2116080000020

The appearance of our community and how individual properties are maintained has a significant impact on the quality of life in our neighborhoods. A recent inspection of your property revealed that certain conditions found do not comply with City code. These violations, the corrective action required and the time frame for completing that corrective action are noted on the attached violation detail.

Pursuant to Chapter 162 of the Florida Statutes, and Chapter 2 of the Code of General Ordinances of the City of Tallahassee, the Code Enforcement Officer hereby gives the notice of a violation on the above referenced property and hereby requests that a Hearing be scheduled before the Code Magistrate.

You must correct the violation described herein within the number of days noted on the attached violation detail. Once corrected, you must contact the City Code Enforcement Division at (850) 891-7007 to arrange a reinspection of the property to verify the violation has been corrected and the property is in compliance with the Municipal Code cited herein.

You are hereby given notice that pursuant to Chapter 162, Florida Statutes, and Chapter 2 of the Code of General Ordinances of the City of Tallahassee, a hearing will be conducted on the above referenced case before the Code Magistrate on 06/04/2024 at 1:00 pm, or as soon thereafter as said matter can be heard in the 2nd Floor Conference Room, Renaissance Center, 435 N Macomb Street, Tallahassee, Florida. If the violation(s) are corrected within the number of days noted on the attached violation detail, you may not have to appear before the Code Magistrate.



Notice of Violation and Notice of Hearing

Page 2

The City's Board and Seal Ordinance, (Section 3-371, Tallahassee Land Development Code), includes a time limit for a structure to remain boarded. Cases involving boarded structures will be taken to the **Code Magistrate** for an order to be issued determining the time limit. If removal of boards reveals other code violations, those violations must also be corrected.

The Code Magistrate will receive testimony and evidence at said hearing and shall make findings of fact as are supported by the testimony and evidence pertaining to the matters alleged herein. If you fail to appear, the Code Magistrate may base its findings and conclusions solely on the testimony and evidence presented by the Code Enforcement Division.

Should you be found in violation of the Municipal Code, the Code Magistrate may impose a fine up to \$250.00 per day, per violation for each day that the violation(s) continues beyond the compliance date established by the Code Magistrate in the Final Order. If the Code Enforcement Board or Code Magistrate has previously declared you to be a repeat violator, the Code Magistrate may impose a fine of up to \$500.00 per day, per violation for each day the violation continues beyond the compliance date established by the Code Magistrate.

If any person desires to appeal any decision, with respect to the matter considered at these meetings, such person will need a record of the proceedings and that, for this purpose, such person may need to ensure that a verbatim record of the proceedings is made, which includes the testimony and evidence upon which the appeal is based. The City of Tallahassee does not provide or prepare such a record (refer to Section 286.0105, Florida Statutes).

Any party aggrieved by the decisions of the **Code Magistrate** may appeal the decision to the Leon County Circuit Court within 30 days of the execution of the order.

Building permits may be required before repairs or alterations can be made to any building. Building and demolition permits may be obtained from the City's Building Inspection Division, located at 435 N. Macomb Street, 1st Floor, telephone number (850) 891-7125.

If you have any questions concerning this notice or the hearing process, please contact our office at (850) 891-7007 or visit our office in the Renaissance Center located at 435 N. Macomb Street, Third Floor, Tallahassee, Florida. Once you correct the violation(s), contact our office immediately to request an inspection.

Sincerely,

### Jency Probert

Code Enforcement Division



### Housing and Community Resilience Code Enforcement

### **Notice of Violation**

Code Officer: Jency Probert Permit No.: NA

Initial Inspection Date: 03/27/2024 Case No.: TCE240500

Tax Identification Number: 2116080000020 Repeat Offender: No

Violation Address: 3072 HUNTINGTON WOODS BLVD

Owner(s):

BARKER ROGER E 3072 HUNTINGTON WOODS TALLAHASSEE FL 32303

You are required to correct the following code violations within 30 days of receipt of this notice.

### Code(s) in Violation:

#### Chapter 3, Article XI, Section 3-571, International Property Maintenance Code

- IPMC Chapter 3, Section 304 Exterior Structure 304.6 Exterior walls.
   304.13 Window, skylight and door frames.
   304.15 Doors.
- 2 IPMC Chapter 3, Section 305 Interior Structure 305.3 Interior surfaces.
- 3 IPMC Chapter 6, Section 605 ~ Electrical Equipment
- 4 IPMC Chapter 7, Section 704 Fire Protection Systems
- 5 IPMC Section 607 Duct systems
  - 607.1 General.
  - 607.2 Clothes dryer exhaust duct system maintenance.
- 6 IPMC Chapter 6, Section 603 ~ Mechanical Equipment
- 7 IPMC Chapter 6, Section 602 Heating Facilities
  - 602.2 Residential occupancies.
  - 602.3 Heat supply.

#### Corrective Actions Required:

Case No.: **TCE240500** 

1 Ensure that exterior walls are free from holes, breaks, and loose or rotting materials; and are maintained weatherproof and properly surface coated where required to prevent deterioration.

Ensure every window, skylight, door and frame are maintained in a sound condition, good repair and weathertight.

Ensure that all exterior doors, door assemblies, operator systems if provided, and hardware are maintained in good condition.

There has been a partial deconstruction of the exterior walls in anticipation of replacing the exterior siding. Complete the repair of the exterior walls as required to the applicable building code. Ensure that the current building permit for replacing the siding includes all of the work that you are doing or intend to complete. Additional permitting may be required.

The interior of a structure and equipment therein shall be maintained in good repair, structurally sound and in a sanitary condition.

Ensure all interior surfaces, including windows and doors, are maintained in a good, clean and sanitary condition. Repair, or remove all peeling, chipping, flaking or abraded paint as required. Repair cracked or loose plaster, decayed wood and other defective surface conditions as required to the applicable building codes. Repair all water damage in/on the walls of the garage, hall bathroom, living room, by the sliding glass doors, in the kitchen (floors, walls and ceiling), and by the front door. Locate the cause of the water incursion into the unit and repair the or replace the damaged drywall or other wall coverings, and cabinetry as required to the applicable building codes. A building permit and a licensed contractor may be required. Repair or replace all damaged flooring and trim as required. Repair all other water damage. Provide a protective coating on all unprotected surfaces, including repairs.

- Ensure all electrical equipment, wiring, and appliances are properly installed and maintained in a safe and approved manner. The dropline for electrical service to the house cable support has been disconnected to allow room to install the new siding and is too low to the ground. Ensure that the dropline is correctly re-attached to the house per the applicable building codes.
- The following violation requires your immediate attention: There were no smoke alarms in the bedrooms. Install a smoke alarm in each room used for sleeping purposes. Leave the existing smoke alarms in place at their current locations. Be prepared to demonstrate that all of the smoke alarms are fully functional.
- Duct systems shall be maintained free of obstructions and shall be capable of performing the required function.

Ensure that the lint trap, mechanical and heating components, and the exhaust duct system of a clothes dryer undergoes periodic removal of accumulations of lint in accordance with the manufacturer's operating instructions to prevent obstruction of exhaust air and products of combustion.

Ensure that the dryer exhaust system terminates on the outside of the building and is fully functional. A building permit and a licensed contractor may be required to re-locate the dryer exhaust.

Case No.: **TCE240500** 

6 Ensure that all appliances are fully functional.

The clothes dryer is not functioning. Repair or replace the clothes dryer as required and ensure that it is fully functional.

- The HVAC unit is not functioning. Locate the cause and repair as required. Ensure that the air conditioner and the heater are fully functional.
- Ensure dwellings have heating facilities capable of maintaining a room temperature of 68°F (20°C) in all habitable rooms, bathrooms and toilet rooms based on the winter outdoor design temperature for the locality indicated in Appendix D of the International Plumbing Code. Cooking appliances shall not be used, nor shall portable unvented fuel-burning space heaters be used, as a means to provide required heating. The installation of one or more portable space heaters shall not be used to achieve compliance with this section.

Every owner and operator of any building who rents, leases or lets one or more dwelling units or sleeping units on terms, either expressed or implied, to furnish heat to the occupants thereof shall supply heat.

Ensure that the HVAC unit is capable of supplying the required amount of heat to maintain the required temperature in all habitable spaces as required.

If you have any questions concerning these violations, please call our office at (850) 891-7007.

Boarding a structure will not bring the property into compliance. If windows and doors are boarded the case will be scheduled for a hearing before the Municipal Code Enforcement Board whereby the City will request an order be issued to set a time limit on the boarding of the structure.

Building permits may be required before repairs or alterations can be made to any building. Building and demolition permits may be obtained from the City's Building Inspection Division, located at 435 N. Macomb Street, 1st Floor, telephone number (850) 891-7001 option 2.

City of Tallahassee 300 S Adams St. B-15 Tallahassee FL 32301 USPS CERTIFIED MAIL



9214 8901 9403 8355 6557 35

TCE240500 NOV/NOH INITIAL BARKER ROGER E 3072 HUNTINGTON WOODS BLVD TALLAHASSEE FL 32303-2527

Return Reference Number:

Username: Denise Garrett

Custom 1: Custom 2:

Custom 3:

Custom 4:

Custom 5:

Postage: \$7.3600



April 05, 2024

CITY OF TALLAHASSEE

Petitioner.

VS.

BUSH SHELBY LEAH & BUSH JOHN L 103 BARBARA ST TALLAHASSEE FL 32304

Respondent

Case No.: TCE240352

Location of Violation: 103 BARBARA ST
Tax ID #: 213565 C0020

The appearance of our community and how individual properties are maintained has a significant impact on the quality of life in our neighborhoods. A recent inspection of your property revealed that certain conditions found do not comply with City code. These violations, the corrective action required and the time frame for completing that corrective action are noted on the attached violation detail.

Pursuant to Chapter 162 of the Florida Statutes, and Chapter 2 of the Code of General Ordinances of the City of Tallahassee, the Code Enforcement Officer hereby gives the notice of a violation on the above referenced property and hereby requests that a Hearing be scheduled before the Code Magistrate.

You must correct the violation described herein within the number of days noted on the attached violation detail. Once corrected, you must contact the City Code Enforcement Division at (850) 891-7007 to arrange a reinspection of the property to verify the violation has been corrected and the property is in compliance with the Municipal Code cited herein.

You are hereby given notice that pursuant to Chapter 162, Florida Statutes, and Chapter 2 of the Code of General Ordinances of the City of Tallahassee, a hearing will be conducted on the above referenced case before the Code Magistrate on 06/04/2024 at 1:00 pm, or as soon thereafter as said matter can be heard in the 2nd Floor Conference Room, Renaissance Center, 435 N Macomb Street, Tallahassee, Florida. If the violation(s) are corrected within the number of days noted on the attached violation detail, you may not have to appear before the Code Magistrate.



Notice of Violation and Notice of Hearing

Page 2

The City's Board and Seal Ordinance, (Section 3-371, Tallahassee Land Development Code), includes a time limit for a structure to remain boarded. Cases involving boarded structures will be taken to the **Code Magistrate** for an order to be issued determining the time limit. If removal of boards reveals other code violations, those violations must also be corrected.

The Code Magistrate will receive testimony and evidence at said hearing and shall make findings of fact as are supported by the testimony and evidence pertaining to the matters alleged herein. If you fail to appear, the Code Magistrate may base its findings and conclusions solely on the testimony and evidence presented by the Code Enforcement Division.

Should you be found in violation of the Municipal Code, the Code Magistrate may impose a fine up to \$250.00 per day, per violation for each day that the violation(s) continues beyond the compliance date established by the Code Magistrate in the Final Order. If the Code Enforcement Board or Code Magistrate has previously declared you to be a repeat violator, the Code Magistrate may impose a fine of up to \$500.00 per day, per violation for each day the violation continues beyond the compliance date established by the Code Magistrate.

If any person desires to appeal any decision, with respect to the matter considered at these meetings, such person will need a record of the proceedings and that, for this purpose, such person may need to ensure that a verbatim record of the proceedings is made, which includes the testimony and evidence upon which the appeal is based. The City of Tallahassee does not provide or prepare such a record (refer to Section 286.0105, Florida Statutes).

Any party aggrieved by the decisions of the **Code Magistrate** may appeal the decision to the Leon County Circuit Court within 30 days of the execution of the order.

Building permits may be required before repairs or alterations can be made to any building. Building and demolition permits may be obtained from the City's Building Inspection Division, located at 435 N. Macomb Street, 1st Floor, telephone number (850) 891-7125.

If you have any questions concerning this notice or the hearing process, please contact our office at (850) 891-7007 or visit our office in the Renaissance Center located at 435 N. Macomb Street, Third Floor, Tallahassee, Florida. Once you correct the violation(s), contact our office immediately to request an inspection.

Sincerely,

### Jency Probert

Code Enforcement Division

City of Tallahassee 300 S Adams St. B-15 Tallahassee FL 32301 **USPS CERTIFIED MAIL** 



9214 8901 9403 8356 0857 46

TCE240352 NOV/NOH INITIAL BUSH SHELBY LEAH & BUSH JOHN L 103 BARBARA ST TALLAHASSEE FL 32304-3631

Return Reference Number:

Username: Denise Garrett

Custom 1: Custom 2:

Custom 3:

Custom 3.

Custom 4: Custom 5:

Postage: \$7.3600



### Housing and Community Resilience Code Enforcement

### **Notice of Violation**

Code Officer: Jency Probert Permit No.: NA

Initial Inspection Date: 03/15/2024 Case No.: TCE240352

Tax Identification Number: 213565 C0020 Repeat Offender: No.

Violation Address: 103 BARBARA ST

Owner(s):

BUSH SHELBY LEAH & BUSH JOHN L 103 BARBARA ST TALLAHASSEE FL 32304

You are required to correct the following code violations within 30 days of receipt of this notice.

### Code(s) in Violation:

#### Chapter 3, Article XI, Section 3-571, International Property Maintenance Code

1 IPMC Chapter 3, Section 302 ~ Exterior Property Areas 302.1 Sanitation.

#### Corrective Actions Required:

Ensure that the exterior property and premises are maintained in a clean, safe and sanitary condition. Remove all trash and debris from the property. Empty standing water from containers and other items that are holding rain water. Repair or remove items that are in disrepair from your yard.

If you have any questions concerning these violations, please call our office at (850) 891-7007.

Boarding a structure will not bring the property into compliance. If windows and doors are boarded the case will be scheduled for a hearing before the Municipal Code Enforcement Board whereby the City will request an order be issued to set a time limit on the boarding of the structure.

Building permits may be required before repairs or alterations can be made to any building. Building and demolition permits may be obtained from the City's Building Inspection Division, located at 435 N. Macomb Street, 1st Floor, telephone number (850) 891-7001 option 2.



April 10, 2024

CITY OF TALLAHASSEE

Petitioner.

VS. BPX PARKWAY LLC; BPX PARKWAY TIC 1 LLC; BPX PARKWAY TIC 2 LLC; BPX PARKWAY TIC 3 LLC
45 BAYVIEW AVE
INWOOD NY 11096

Respondent

Case No.: **TCE232874** 

Location of Violation: 2855 APALACHEE PKWY APT 126B

Tax ID #: 3104204290000

The appearance of our community and how individual properties are maintained has a significant impact on the quality of life in our neighborhoods. A recent inspection of your property revealed that certain conditions found do not comply with City code. These violations, the corrective action required and the time frame for completing that corrective action are noted on the attached violation detail.

Pursuant to Chapter 162 of the Florida Statutes, and Chapter 2 of the Code of General Ordinances of the City of Tallahassee, the Code Enforcement Officer hereby gives the notice of a violation on the above referenced property and hereby requests that a Hearing be scheduled before the Code Magistrate.

You must correct the violation described herein within the number of days noted on the attached violation detail. Once corrected, you must contact the City Code Enforcement Division at **(850) 891-7007** to arrange a reinspection of the property to verify the violation has been corrected and the property is in compliance with the Municipal Code cited herein.

You are hereby given notice that pursuant to Chapter 162, Florida Statutes, and Chapter 2 of the Code of General Ordinances of the City of Tallahassee, a hearing will be conducted on the above referenced case before the Code Magistrate on 06/04/2024 at 1:00 pm, or as soon thereafter as said matter can be heard in the 2nd Floor Conference Room, Renaissance Center, 435 N Macomb Street, Tallahassee, Florida. If the violation(s) are corrected within the number of days noted on the attached violation detail, you may not have to appear before the Code Magistrate.



Notice of Violation and Notice of Hearing

Page 2

The City's Board and Seal Ordinance, (Section 3-371, Tallahassee Land Development Code), includes a time limit for a structure to remain boarded. Cases involving boarded structures will be taken to the **Code Magistrate** for an order to be issued determining the time limit. If removal of boards reveals other code violations, those violations must also be corrected.

The Code Magistrate will receive testimony and evidence at said hearing and shall make findings of fact as are supported by the testimony and evidence pertaining to the matters alleged herein. If you fail to appear, the Code Magistrate may base its findings and conclusions solely on the testimony and evidence presented by the Code Enforcement Division.

Should you be found in violation of the Municipal Code, the Code Magistrate may impose a fine up to \$250.00 per day, per violation for each day that the violation(s) continues beyond the compliance date established by the Code Magistrate in the Final Order. If the Code Enforcement Board or Code Magistrate has previously declared you to be a repeat violator, the Code Magistrate may impose a fine of up to \$500.00 per day, per violation for each day the violation continues beyond the compliance date established by the Code Magistrate.

If any person desires to appeal any decision, with respect to the matter considered at these meetings, such person will need a record of the proceedings and that, for this purpose, such person may need to ensure that a verbatim record of the proceedings is made, which includes the testimony and evidence upon which the appeal is based. The City of Tallahassee does not provide or prepare such a record (refer to Section 286.0105, Florida Statutes).

Any party aggrieved by the decisions of the **Code Magistrate** may appeal the decision to the Leon County Circuit Court within 30 days of the execution of the order.

Building permits may be required before repairs or alterations can be made to any building. Building and demolition permits may be obtained from the City's Building Inspection Division, located at 435 N. Macomb Street, 1st Floor, telephone number (850) 891-7125.

If you have any questions concerning this notice or the hearing process, please contact our office at (850) 891-7007 or visit our office in the Renaissance Center located at 435 N. Macomb Street, Third Floor, Tallahassee, Florida. Once you correct the violation(s), contact our office immediately to request an inspection.

Sincerely,

### Shameka Bush

Code Enforcement Division



### Housing and Community Resilience Code Enforcement

### **Notice of Violation**

Code Officer: Shameka Bush Permit No.: NA

Initial Inspection Date: 11/30/2023 Case No.: TCE232874

Tax Identification Number: 3104204290000 Repeat Offender: No.

Violation Address: 2855 APALACHEE PKWY APT 126B

Owner(s):

BPX PARKWAY LLC; BPX PARKWAY TIC 1 LLC; BPX PARKWAY TIC 2 LLC;

**BPX PARKWAY TIC 3 LLC** 

45 BAYVIEW AVE INWOOD NY 11096

You are required to correct the following code violations within 15 days of receipt of this notice.

#### Code(s) in Violation:

#### Chapter 3, Article XI, Section 3-571, International Property Maintenance Code

- 1 IPMC Chapter 3, Section 304 ~ Exterior Structure
- 2 IPMC Chapter 3, Section 305 ~ Interior Structure

#### Corrective Actions Required:

1 Every exterior wall shall be free of holes, breaks, loose or rotting boards or timbers, and any other conditions which might admit rain, or dampness to the interior portions of the walls or the occupied spaces of the building. All sidings material shall be kept in repair.

Repair the exterior wall, roof, and any other conditions which is causing rain or dampness to the interior portions of the walls and ceiling in the master's bedroom and bathroom, and the common bathroom.

Reference to APT 126B.

The interior of a structure and equipment therein shall be maintained in good repair, structurally sound and in a sanitary condition.

All peeling, chipping, flaking, or abraded paint shall be repaired, removed, or covered and all cracked or loose plaster, decayed wood, and other defective surface conditions shall be corrected on the living room's ceiling, the master's bedroom and bathroom ceiling, and the common bathroom's ceiling.

Reference to APT 126B.

Case No.: **TCE232874** 

If you have any questions concerning these violations, please call our office at (850) 891-7007.

Boarding a structure will not bring the property into compliance. If windows and doors are boarded the case will be scheduled for a hearing before the Municipal Code Enforcement Board whereby the City will request an order be issued to set a time limit on the boarding of the structure.

Building permits may be required before repairs or alterations can be made to any building. Building and demolition permits may be obtained from the City's Building Inspection Division, located at 435 N. Macomb Street, 1st Floor, telephone number (850) 891-7001 option 2.

City of Tallahassee 300 S Adams St. B-15 Tallahassee FL 32301 **USPS CERTIFIED MAIL** 



9214 8901 9403 8356 7394 65

TCE232874 NOV/NOH INITIAL BPX PARKWAY LLC; BPX PARKWAY TIC 1 LLC; BPX PARKWAY TIC 2 LLC; BPX PARKWAY TIC 3 LLC 45 BAYVIEW AVE INWOOD NY 11096-2210

Return Reference Number: Username: Denise Garrett

Custom 1: Custom 2:

Custom 3:

Custom 4:

Custom 5:



April 10, 2024

CITY OF TALLAHASSEE

Petitioner.

VS.

SP SUNRISE LP 31899 DEL OBISPO ST STE 150 SAN JUAN CAPISTRANO CA 92675

Respondent

Case No.: **TCE240060** 

Location of Violation: 2525 TEXAS ST APT C109

Tax ID #: 3107202950000

The appearance of our community and how individual properties are maintained has a significant impact on the quality of life in our neighborhoods. A recent inspection of your property revealed that certain conditions found do not comply with City code. These violations, the corrective action required and the time frame for completing that corrective action are noted on the attached violation detail.

Pursuant to Chapter 162 of the Florida Statutes, and Chapter 2 of the Code of General Ordinances of the City of Tallahassee, the Code Enforcement Officer hereby gives the notice of a violation on the above referenced property and hereby requests that a Hearing be scheduled before the Code Magistrate.

You must correct the violation described herein within the number of days noted on the attached violation detail. Once corrected, you must contact the City Code Enforcement Division at (850) 891-7007 to arrange a reinspection of the property to verify the violation has been corrected and the property is in compliance with the Municipal Code cited herein.

You are hereby given notice that pursuant to Chapter 162, Florida Statutes, and Chapter 2 of the Code of General Ordinances of the City of Tallahassee, a hearing will be conducted on the above referenced case before the Code Magistrate on 06/04/2024 at 1:00 pm, or as soon thereafter as said matter can be heard in the 2nd Floor Conference Room, Renaissance Center, 435 N Macomb Street, Tallahassee, Florida. If the violation(s) are corrected within the number of days noted on the attached violation detail, you may not have to appear before the Code Magistrate.



Notice of Violation and Notice of Hearing

Page 2

The City's Board and Seal Ordinance, (Section 3-371, Tallahassee Land Development Code), includes a time limit for a structure to remain boarded. Cases involving boarded structures will be taken to the **Code Magistrate** for an order to be issued determining the time limit. If removal of boards reveals other code violations, those violations must also be corrected.

The Code Magistrate will receive testimony and evidence at said hearing and shall make findings of fact as are supported by the testimony and evidence pertaining to the matters alleged herein. If you fail to appear, the Code Magistrate may base its findings and conclusions solely on the testimony and evidence presented by the Code Enforcement Division.

Should you be found in violation of the Municipal Code, the Code Magistrate may impose a fine up to \$250.00 per day, per violation for each day that the violation(s) continues beyond the compliance date established by the Code Magistrate in the Final Order. If the Code Enforcement Board or Code Magistrate has previously declared you to be a repeat violator, the Code Magistrate may impose a fine of up to \$500.00 per day, per violation for each day the violation continues beyond the compliance date established by the Code Magistrate.

If any person desires to appeal any decision, with respect to the matter considered at these meetings, such person will need a record of the proceedings and that, for this purpose, such person may need to ensure that a verbatim record of the proceedings is made, which includes the testimony and evidence upon which the appeal is based. The City of Tallahassee does not provide or prepare such a record (refer to Section 286.0105, Florida Statutes).

Any party aggrieved by the decisions of the **Code Magistrate** may appeal the decision to the Leon County Circuit Court within 30 days of the execution of the order.

Building permits may be required before repairs or alterations can be made to any building. Building and demolition permits may be obtained from the City's Building Inspection Division, located at 435 N. Macomb Street, 1st Floor, telephone number (850) 891-7125.

If you have any questions concerning this notice or the hearing process, please contact our office at (850) 891-7007 or visit our office in the Renaissance Center located at 435 N. Macomb Street, Third Floor, Tallahassee, Florida. Once you correct the violation(s), contact our office immediately to request an inspection.

Sincerely,

### Jency Probert

Code Enforcement Division



### Housing and Community Resilience Code Enforcement

### **Notice of Violation**

Code Officer: Jency Probert Permit No.: NA

Initial Inspection Date: 01/19/2024 Case No.: TCE240060

Tax Identification Number: 3107202950000 Repeat Offender: No.

Violation Address: 2525 TEXAS ST APT C109

Owner(s):

SP SUNRISE LP 31899 DEL OBISPO ST STE 150 SAN JUAN CAPISTRANO CA 92675

You are required to correct the following code violations within 30 days of receipt of this notice.

### Code(s) in Violation:

#### Chapter 3, Article XI, Section 3-571, International Property Maintenance Code

- 1 IPMC Chapter 3, Section 304 Exterior Structure. 304.13 Window, skylight and door frames.
- 2 IPMC Chapter 3, Section 305 Interior Structure.
- 3 IPMC Chapter 5, Section 505 Water System. 505.4 Water heating facilities.

#### Corrective Actions Required:

- Every window, skylight, door and frame shall be kept in sound condition, good repair and weathertight. There is light visible around the living room door. Ensure that all of the door seals are in place for all exterior doors and that the doors, door hardware, and doors seals are fully functional and that the doors are weather tight. Ensure that all of the windows, window hardware, and window seals are fully functional and that the windows are weather tight.
- The interior of a structure and equipment therein shall be maintained in good repair, structurally sound and in a sanitary condition.

There is loose flooring throughout the unit. Re-attach the flooring as required throughout the unit. Ensure that the flooring is properly secured to the sub-floor.

The tenant complained about there being mold in the bathroom. Locate the cause and repair the wall or ceiling as required to the applicable building code. Ensure that the exhaust fan is capable of removing the proper quantity of air/moisture from the bathroom.

Case No.: **TCE240060** 

At the time of re-inspection the water temperature at the kitchen sink was between 104 and 106 degrees Fahrenheit after 10 minutes the water temperature remained between 104 and 106 degrees Fahrenheit. Water heating facilities shall be properly installed, maintained and capable of providing an adequate amount of water to be drawn at every required sink, lavatory, bathtub, shower and laundry facility at a temperature not less than 110°F (43°C). Locate the cause of the water heater not producing enough hot water. Adjust the temperature and/or repair the water heater as required to the applicable building code. Ensure that the water heater is capable of providing and producing enough hot water as required.

If you have any questions concerning these violations, please call our office at (850) 891-7007.

Boarding a structure will not bring the property into compliance. If windows and doors are boarded the case will be scheduled for a hearing before the Municipal Code Enforcement Board whereby the City will request an order be issued to set a time limit on the boarding of the structure. Building permits may be required before repairs or alterations can be made to any building. Building and demolition permits may be obtained from the City's Building Inspection Division, located at 435 N. Macomb Street, 1st Floor, telephone number (850) 891-7001 option 2.

City of Tallahassee 300 S Adams St. B-15 Tallahassee FL 32301 **USPS CERTIFIED MAIL** 



9214 8901 9403 8356 7514 98

TCE240060 NOV/NOH INITIAL SP SUNRISE LP STE 150 31899 DEL OBISPO ST SAN JUAN CAPO CA 92675-3244

Return Reference Number: Username: Denise Garrett

Custom 1: Custom 2:

Custom 3:

Custom 4:

Custom 5:



April 10, 2024

CITY OF TALLAHASSEE

Petitioner.

VS.

ROBINSON ERIKA C & ROBINSON JAMES G JR 2400 FRED SMITH RD #204 TALLAHASSEE FL 32303

Respondent

Case No.: **TCE240449** 

Location of Violation: 2400 FRED SMITH RD APT 204

Tax ID #: 2123220002040

The appearance of our community and how individual properties are maintained has a significant impact on the quality of life in our neighborhoods. A recent inspection of your property revealed that certain conditions found do not comply with City code. These violations, the corrective action required and the time frame for completing that corrective action are noted on the attached violation detail.

Pursuant to Chapter 162 of the Florida Statutes, and Chapter 2 of the Code of General Ordinances of the City of Tallahassee, the Code Enforcement Officer hereby gives the notice of a violation on the above referenced property and hereby requests that a Hearing be scheduled before the Code Magistrate.

You must correct the violation described herein within the number of days noted on the attached violation detail. Once corrected, you must contact the City Code Enforcement Division at **(850) 891-7007** to arrange a reinspection of the property to verify the violation has been corrected and the property is in compliance with the Municipal Code cited herein.

You are hereby given notice that pursuant to Chapter 162, Florida Statutes, and Chapter 2 of the Code of General Ordinances of the City of Tallahassee, a hearing will be conducted on the above referenced case before the Code Magistrate on 06/04/2024 at 1:00 pm, or as soon thereafter as said matter can be heard in the 2nd Floor Conference Room, Renaissance Center, 435 N Macomb Street, Tallahassee, Florida. If the violation(s) are corrected within the number of days noted on the attached violation detail, you may not have to appear before the Code Magistrate.



Notice of Violation and Notice of Hearing

Page 2

The City's Board and Seal Ordinance, (Section 3-371, Tallahassee Land Development Code), includes a time limit for a structure to remain boarded. Cases involving boarded structures will be taken to the **Code Magistrate** for an order to be issued determining the time limit. If removal of boards reveals other code violations, those violations must also be corrected.

The Code Magistrate will receive testimony and evidence at said hearing and shall make findings of fact as are supported by the testimony and evidence pertaining to the matters alleged herein. If you fail to appear, the Code Magistrate may base its findings and conclusions solely on the testimony and evidence presented by the Code Enforcement Division.

Should you be found in violation of the Municipal Code, the Code Magistrate may impose a fine up to \$250.00 per day, per violation for each day that the violation(s) continues beyond the compliance date established by the Code Magistrate in the Final Order. If the Code Enforcement Board or Code Magistrate has previously declared you to be a repeat violator, the Code Magistrate may impose a fine of up to \$500.00 per day, per violation for each day the violation continues beyond the compliance date established by the Code Magistrate.

If any person desires to appeal any decision, with respect to the matter considered at these meetings, such person will need a record of the proceedings and that, for this purpose, such person may need to ensure that a verbatim record of the proceedings is made, which includes the testimony and evidence upon which the appeal is based. The City of Tallahassee does not provide or prepare such a record (refer to Section 286.0105, Florida Statutes).

Any party aggrieved by the decisions of the **Code Magistrate** may appeal the decision to the Leon County Circuit Court within 30 days of the execution of the order.

Building permits may be required before repairs or alterations can be made to any building. Building and demolition permits may be obtained from the City's Building Inspection Division, located at 435 N. Macomb Street, 1st Floor, telephone number (850) 891-7125.

If you have any questions concerning this notice or the hearing process, please contact our office at (850) 891-7007 or visit our office in the Renaissance Center located at 435 N. Macomb Street, Third Floor, Tallahassee, Florida. Once you correct the violation(s), contact our office immediately to request an inspection.

Sincerely,

### Jency Probert

Code Enforcement Division



### Housing and Community Resilience Code Enforcement

### **Notice of Violation**

Code Officer: Jency Probert Permit No.: NA

Initial Inspection Date: 03/28/2024 Case No.: TCE240449

Tax Identification Number: 2123220002040 Repeat Offender: No.

Violation Address: 2400 FRED SMITH RD APT 204

Owner(s):

ROBINSON ERIKA C & ROBINSON JAMES G JR 2400 FRED SMITH RD #204 TALLAHASSEE FL 32303

You are required to correct the following code violations within 30 days of receipt of this notice.

### Code(s) in Violation:

#### Chapter 3, Article XI, Section 3-571, International Property Maintenance Code

- 1 IPMC Chapter 3, Section 302 Exterior Property Areas. 302.1 Sanitation.
- 2 IPMC Chapter 3, Section 304 Exterior Structure. 304.13 Window, skylight and door frames.
- 3 IPMC Chapter 3, Section 305 Interior Structure.
  - 305.4 Stairs and walking surfaces.
  - 305.6 Interior doors.
  - 305.3 Interior surfaces.
- 4 IPMC Chapter 3, Section 309 Pest Elimination. 309.1 Infestation.
  - IPMC Chapter 7, Section 704 Fire Protection Systems.
  - 704.6 Single- and multiple-station smoke alarms.
- 6 IPMC Chapter 6, Section 605 Electrical Equipment.
  - 605.1 Installation.
- 7 IPMC Chapter 6, Section 607 Duct Systems. 607.1 General.

### Corrective Actions Required:

5

Case No.: **TCE240449** 

1 Exterior property and premises shall be maintained in a clean, safe and sanitary condition. Remove all trash and debris from behind the buildings.

- The back door frame is in disrepair and vegetative material is growing out of it. Repair the back door frame as required to the applicable building code. Ensure that the back door, door hardware, and the door seal is fully functional. The front door bottom corner has rotted away. Repair or replace the front door as required. Ensure that the front door, door hardware, and door seal is fully functional. Ensure all of the exterior doors are weather tight.
  - Ensure that all of the windows, window hardware, and window seals are fully functional and that the windows are weather tight. Ensure all openable windows are equipped with a properly fitting window screen.
- The carpeting in the first floor bedroom has separated from the carpet tact strip. Reinstall the carpeting and install a transition strip between the two flooring materials.
  - There are sections of the carpeting upstairs that are in disrepair. Repair or replace the damaged carpeting as required. Install transition strips where required.
  - There are damaged and missing closet doors upstairs. Repair or replace the damaged closet doors as required. Ensure that the closet doors are fully functional.
  - There is water damage under the kitchen sink cabinet. Locate the cause of the leak and repair the leak and all of the water damage as required.
- Insects were noted at the time of inspection. Ensure that the unit is free from insect and rodent infestation. Exterminate all insects or rodents that are found in the unit. Provide this office with documentation as to what was done and what will be done to prevent re-infestation.
- The smoke alarm on the first floor is 'chirping' and the alarm needs to be serviced. Ensure that all of the smoke alarms are fully functional and less than 10 years old. Be prepared to demonstrate that all of the smoke alarms are fully functional.
- In the north bedroom on the east wall the receptacle is loose. Repair or replace the receptacle as required. Ensure that all of the receptacles in the unit are fully functional.
- There are HVAC duct covers that are dirty. Locate the cause and clean and service the duct covers as required. Clean the ductwork if required. Duct systems shall be maintained free of obstructions and shall be capable of performing the required function.

If you have any questions concerning these violations, please call our office at (850) 891-7007.

Boarding a structure will not bring the property into compliance. If windows and doors are boarded the case will be scheduled for a hearing before the Municipal Code Enforcement Board whereby the City will request an order be issued to set a time limit on the boarding of the structure. Building permits may be required before repairs or alterations can be made to any building. Building and demolition permits may be obtained from the City's Building Inspection Division, located at 435 N. Macomb Street, 1st Floor, telephone number (850) 891-7001 option 2.

City of Tallahassee 300 S Adams St. B-15 Tallahassee FL 32301 **USPS CERTIFIED MAIL** 



9214 8901 9403 8356 7649 79

TCE240449 NOV/NOH INITIAL ROBINSON ERIKA C & ROBINSON JAMES G JR APT 204 2400 FRED SMITH RD TALLAHASSEE FL 32303-1641

Return Reference Number:

Username: Denise Garrett

Custom 1: Custom 2:

Custom 3:

Custom 4:

Custom 5:



April 12, 2024

CITY OF TALLAHASSEE

Petitioner.

VS.

BASSIN ROY BRADLEY 1314 DURA CIR TALLAHASSEE FL 32304

Respondent

Case No.: TCE240262

Location of Violation: 1310 DURA CIR
Tax ID #: 2128700000810

The appearance of our community and how individual properties are maintained has a significant impact on the quality of life in our neighborhoods. A recent inspection of your property revealed that certain conditions found do not comply with City code. These violations, the corrective action required and the time frame for completing that corrective action are noted on the attached violation detail.

Pursuant to Chapter 162 of the Florida Statutes, and Chapter 2 of the Code of General Ordinances of the City of Tallahassee, the Code Enforcement Officer hereby gives the notice of a violation on the above referenced property and hereby requests that a Hearing be scheduled before the Code Magistrate.

You must correct the violation described herein within the number of days noted on the attached violation detail. Once corrected, you must contact the City Code Enforcement Division at **(850) 891-7007** to arrange a reinspection of the property to verify the violation has been corrected and the property is in compliance with the Municipal Code cited herein.

You are hereby given notice that pursuant to Chapter 162, Florida Statutes, and Chapter 2 of the Code of General Ordinances of the City of Tallahassee, a hearing will be conducted on the above referenced case before the Code Magistrate on 06/04/2024 at 1:00 pm, or as soon thereafter as said matter can be heard in the 2nd Floor Conference Room, Renaissance Center, 435 N Macomb Street, Tallahassee, Florida. If the violation(s) are corrected within the number of days noted on the attached violation detail, you may not have to appear before the Code Magistrate.



Notice of Violation and Notice of Hearing

Page 2

The City's Board and Seal Ordinance, (Section 3-371, Tallahassee Land Development Code), includes a time limit for a structure to remain boarded. Cases involving boarded structures will be taken to the **Code Magistrate** for an order to be issued determining the time limit. If removal of boards reveals other code violations, those violations must also be corrected.

The Code Magistrate will receive testimony and evidence at said hearing and shall make findings of fact as are supported by the testimony and evidence pertaining to the matters alleged herein. If you fail to appear, the Code Magistrate may base its findings and conclusions solely on the testimony and evidence presented by the Code Enforcement Division.

Should you be found in violation of the Municipal Code, the Code Magistrate may impose a fine up to \$250.00 per day, per violation for each day that the violation(s) continues beyond the compliance date established by the Code Magistrate in the Final Order. If the Code Enforcement Board or Code Magistrate has previously declared you to be a repeat violator, the Code Magistrate may impose a fine of up to \$500.00 per day, per violation for each day the violation continues beyond the compliance date established by the Code Magistrate.

If any person desires to appeal any decision, with respect to the matter considered at these meetings, such person will need a record of the proceedings and that, for this purpose, such person may need to ensure that a verbatim record of the proceedings is made, which includes the testimony and evidence upon which the appeal is based. The City of Tallahassee does not provide or prepare such a record (refer to Section 286.0105, Florida Statutes).

Any party aggrieved by the decisions of the **Code Magistrate** may appeal the decision to the Leon County Circuit Court within 30 days of the execution of the order.

Building permits may be required before repairs or alterations can be made to any building. Building and demolition permits may be obtained from the City's Building Inspection Division, located at 435 N. Macomb Street, 1st Floor, telephone number (850) 891-7125.

If you have any questions concerning this notice or the hearing process, please contact our office at (850) 891-7007 or visit our office in the Renaissance Center located at 435 N. Macomb Street, Third Floor, Tallahassee, Florida. Once you correct the violation(s), contact our office immediately to request an inspection.

Sincerely,

### Jency Probert

Code Enforcement Division



### Housing and Community Resilience Code Enforcement

### **Notice of Violation**

Code Officer: Jency Probert Permit No.: NA

Initial Inspection Date: 02/09/2024 Case No.: TCE240262

Tax Identification Number: 2128700000810 Repeat Offender: No.

Violation Address: 1310 DURA CIR

Owner(s):

BASSIN ROY BRADLEY 1314 DURA CIR TALLAHASSEE FL 32304

You are required to correct the following code violations within 30 days of receipt of this notice.

#### Code(s) in Violation:

#### Chapter 3, Article XI, Section 3-571, International Property Maintenance Code

- 1 IPMC Chapter 3, Section 302 Exterior Property Areas. 302.1 Sanitation.
  - 302.4 Weeds.
- 2 IPMC Chapter 7, Fire Safety Requirements, Section 702 Means of Egress

### Corrective Actions Required:

- Ensure the exterior property and premises is maintained in a clean, safe, and sanitary condition. Remove all of the trash and debris from the property. Store items designed for interior use inside (buckets, appliances, interior furniture, or the like).
  - Cut all high weeds and grass over twelve inches in height.
- A safe, continuous and unobstructed path of travel shall be provided from any point in a building or structure to the public way. Ensure there is a 36 inch wide pathway from the exterior door on the front porch to the public way. Ensure that there is a clear pathway from any point in the building to the public way. Clear the appropriate 36 inch wide unobstructed pathways as required.

Case No.: **TCE240262** 

If you have any questions concerning these violations, please call our office at (850) 891-7007.

Boarding a structure will not bring the property into compliance. If windows and doors are boarded the case will be scheduled for a hearing before the Municipal Code Enforcement Board whereby the City will request an order be issued to set a time limit on the boarding of the structure.

Building permits may be required before repairs or alterations can be made to any building. Building and demolition permits may be obtained from the City's Building Inspection Division, located at 435 N. Macomb Street, 1st Floor, telephone number (850) 891-7001 option 2.

City of Tallahassee 300 S Adams St. B-15 Tallahassee FL 32301 **USPS CERTIFIED MAIL** 



9214 8901 9403 8357 1637 02

TCE240262 NOV/NOH INITIAL BASSIN ROY BRADLEY 1314 DURA CIR TALLAHASSEE FL 32304

Return Reference Number: Username: Denise Garrett

Custom 1: Custom 2:

Custom 3:

Custom 4:

Custom 5:



April 12, 2024

CITY OF TALLAHASSEE

Petitioner.

VS.

HATIM ABDUL & HATIM KHALEDA 2097 CRESTDALE DR TALLAHASSEE FL 32308-5845

Respondent

Case No.: TCE240351

Location of Violation: 2327 PARROT LN
Tax ID #: 2121860000510

The appearance of our community and how individual properties are maintained has a significant impact on the quality of life in our neighborhoods. A recent inspection of your property revealed that certain conditions found do not comply with City code. These violations, the corrective action required and the time frame for completing that corrective action are noted on the attached violation detail.

Pursuant to Chapter 162 of the Florida Statutes, and Chapter 2 of the Code of General Ordinances of the City of Tallahassee, the Code Enforcement Officer hereby gives the notice of a violation on the above referenced property and hereby requests that a Hearing be scheduled before the Code Magistrate.

You must correct the violation described herein within the number of days noted on the attached violation detail. Once corrected, you must contact the City Code Enforcement Division at **(850) 891-7007** to arrange a reinspection of the property to verify the violation has been corrected and the property is in compliance with the Municipal Code cited herein.

You are hereby given notice that pursuant to Chapter 162, Florida Statutes, and Chapter 2 of the Code of General Ordinances of the City of Tallahassee, a hearing will be conducted on the above referenced case before the Code Magistrate on 06/04/2024 at 1:00 pm, or as soon thereafter as said matter can be heard in the 2nd Floor Conference Room, Renaissance Center, 435 N Macomb Street, Tallahassee, Florida. If the violation(s) are corrected within the number of days noted on the attached violation detail, you may not have to appear before the Code Magistrate.



Notice of Violation and Notice of Hearing

Page 2

The City's Board and Seal Ordinance, (Section 3-371, Tallahassee Land Development Code), includes a time limit for a structure to remain boarded. Cases involving boarded structures will be taken to the **Code Magistrate** for an order to be issued determining the time limit. If removal of boards reveals other code violations, those violations must also be corrected.

The Code Magistrate will receive testimony and evidence at said hearing and shall make findings of fact as are supported by the testimony and evidence pertaining to the matters alleged herein. If you fail to appear, the Code Magistrate may base its findings and conclusions solely on the testimony and evidence presented by the Code Enforcement Division.

Should you be found in violation of the Municipal Code, the Code Magistrate may impose a fine up to \$250.00 per day, per violation for each day that the violation(s) continues beyond the compliance date established by the Code Magistrate in the Final Order. If the Code Enforcement Board or Code Magistrate has previously declared you to be a repeat violator, the Code Magistrate may impose a fine of up to \$500.00 per day, per violation for each day the violation continues beyond the compliance date established by the Code Magistrate.

If any person desires to appeal any decision, with respect to the matter considered at these meetings, such person will need a record of the proceedings and that, for this purpose, such person may need to ensure that a verbatim record of the proceedings is made, which includes the testimony and evidence upon which the appeal is based. The City of Tallahassee does not provide or prepare such a record (refer to Section 286.0105, Florida Statutes).

Any party aggrieved by the decisions of the **Code Magistrate** may appeal the decision to the Leon County Circuit Court within 30 days of the execution of the order.

Building permits may be required before repairs or alterations can be made to any building. Building and demolition permits may be obtained from the City's Building Inspection Division, located at 435 N. Macomb Street, 1st Floor, telephone number (850) 891-7125.

If you have any questions concerning this notice or the hearing process, please contact our office at (850) 891-7007 or visit our office in the Renaissance Center located at 435 N. Macomb Street, Third Floor, Tallahassee, Florida. Once you correct the violation(s), contact our office immediately to request an inspection.

Sincerely,

### Jency Probert

Code Enforcement Division



### Housing and Community Resilience Code Enforcement

### **Notice of Violation**

Code Officer: Jency Probert Permit No.: NA

Initial Inspection Date: 03/06/2024 Case No.: TCE240351

Tax Identification Number: 2121860000510 Repeat Offender: No.

Violation Address: 2327 PARROT LN

Owner(s):

HATIM ABDUL & HATIM KHALEDA 2097 CRESTDALE DR TALLAHASSEE FL 32308-5845

You are required to correct the following code violations within 30 days of receipt of this notice.

Code(s) in Violation:

### **Land Development Code**

1 TLDC Chapter 3, Section 3.488 - Maintenance (Residential)

Corrective Actions Required:

1 Remove the dead tree from your property and all associated tree debris.

If you have any questions concerning these violations, please call our office at (850) 891-7007.

Boarding a structure will not bring the property into compliance. If windows and doors are boarded the case will be scheduled for a hearing before the Municipal Code Enforcement Board whereby the City will request an order be issued to set a time limit on the boarding of the structure.

Building permits may be required before repairs or alterations can be made to any building. Building and demolition permits may be obtained from the City's Building Inspection Division, located at 435 N.

Macomb Street, 1st Floor, telephone number (850) 891-7001 option 2.

**USPS CERTIFIED MAIL** 



9214 8901 9403 8357 1908 45

TCE240351 NOV/ NOH INITIAL HATIM ABDUL & HATIM KHALEDA 2097 CRESTDALE DR TALLAHASSEE FL 32308-5845

Return Reference Number:

Username: Denise Garrett

Custom 1: Custom 2:

Custom 3:

Custom 4:

Custom 5:



April 17, 2024

CITY OF TALLAHASSEE

Petitioner.

VS.

CAROLINA KING OWNER LLC 1472 HARBOUR WALK RD TAMPA FL 33602

Respondent

Case No.: TCE240479

Location of Violation: 401 W CAROLINA ST

Tax ID #: 2136500135295

The appearance of our community and how individual properties are maintained has a significant impact on the quality of life in our neighborhoods. A recent inspection of your property revealed that certain conditions found do not comply with City code. These violations, the corrective action required and the time frame for completing that corrective action are noted on the attached violation detail.

Pursuant to Chapter 162 of the Florida Statutes, and Chapter 2 of the Code of General Ordinances of the City of Tallahassee, the Code Enforcement Officer hereby gives the notice of a violation on the above referenced property and hereby requests that a Hearing be scheduled before the Code Magistrate.

You must correct the violation described herein within the number of days noted on the attached violation detail. Once corrected, you must contact the City Code Enforcement Division at **(850) 891-7007** to arrange a reinspection of the property to verify the violation has been corrected and the property is in compliance with the Municipal Code cited herein.

You are hereby given notice that pursuant to Chapter 162, Florida Statutes, and Chapter 2 of the Code of General Ordinances of the City of Tallahassee, a hearing will be conducted on the above referenced case before the Code Magistrate on 06/04/2024 at 1:00 pm, or as soon thereafter as said matter can be heard in the 2nd Floor Conference Room, Renaissance Center, 435 N Macomb Street, Tallahassee, Florida. If the violation(s) are corrected within the number of days noted on the attached violation detail, you may not have to appear before the Code Magistrate.

Failure to comply may result in the City of Tallahassee correcting the violation(s) and assessing the cost through placing a lien on the property until such time as all costs are reimbursed to the City. These costs may be recovered by court action, if necessary. Your case may be presented to the **Code Magistrate** even if the violation has been corrected prior to the hearing or if the structure is boarded.



Notice of Violation and Notice of Hearing

Page 2

The City's Board and Seal Ordinance, (Section 3-371, Tallahassee Land Development Code), includes a time limit for a structure to remain boarded. Cases involving boarded structures will be taken to the **Code Magistrate** for an order to be issued determining the time limit. If removal of boards reveals other code violations, those violations must also be corrected.

The Code Magistrate will receive testimony and evidence at said hearing and shall make findings of fact as are supported by the testimony and evidence pertaining to the matters alleged herein. If you fail to appear, the Code Magistrate may base its findings and conclusions solely on the testimony and evidence presented by the Code Enforcement Division.

Should you be found in violation of the Municipal Code, the Code Magistrate may impose a fine up to \$250.00 per day, per violation for each day that the violation(s) continues beyond the compliance date established by the Code Magistrate in the Final Order. If the Code Enforcement Board or Code Magistrate has previously declared you to be a repeat violator, the Code Magistrate may impose a fine of up to \$500.00 per day, per violation for each day the violation continues beyond the compliance date established by the Code Magistrate.

If any person desires to appeal any decision, with respect to the matter considered at these meetings, such person will need a record of the proceedings and that, for this purpose, such person may need to ensure that a verbatim record of the proceedings is made, which includes the testimony and evidence upon which the appeal is based. The City of Tallahassee does not provide or prepare such a record (refer to Section 286.0105, Florida Statutes).

Any party aggrieved by the decisions of the **Code Magistrate** may appeal the decision to the Leon County Circuit Court within 30 days of the execution of the order.

Building permits may be required before repairs or alterations can be made to any building. Building and demolition permits may be obtained from the City's Building Inspection Division, located at 435 N. Macomb Street, 1st Floor, telephone number (850) 891-7125.

If you have any questions concerning this notice or the hearing process, please contact our office at (850) 891-7007 or visit our office in the Renaissance Center located at 435 N. Macomb Street, Third Floor, Tallahassee, Florida. Once you correct the violation(s), contact our office immediately to request an inspection.

Sincerely,

### Lesa Vause

Code Enforcement Division

Attachment



### Housing and Community Resilience Code Enforcement

### **Notice of Violation**

Code Officer: Lesa Vause Permit No.: NA

Initial Inspection Date: 04/05/2024 Case No.: TCE240479

Tax Identification Number: 2136500135295 Repeat Offender: No.

Violation Address: 401 W CAROLINA ST

Owner(s):

CAROLINA KING OWNER LLC 1472 HARBOUR WALK RD TAMPA FL 33602

You are required to correct the following code violations within 15 days of receipt of this notice.

### Code(s) in Violation:

### Other

- 1 302.1 Sanitation.
- **2** 302.4 Weeds.
- **3** 302.8 Motor vehicles.

### Corrective Actions Required:

- 1 Remove all bagged and loose trash on the property.
- 2 Cut all high weeds and grass on the property.
- 3 All vehicles must be operable and display current tags. The grey Ford pickup and the yellow Dodge Ram do not display current tags.

If you have any questions concerning these violations, please call our office at (850) 891-7007.

Boarding a structure will not bring the property into compliance. If windows and doors are boarded the case will be scheduled for a hearing before the Municipal Code Enforcement Board whereby the City will request an order be issued to set a time limit on the boarding of the structure.

Building permits may be required before repairs or alterations can be made to any building. Building and demolition permits may be obtained from the City's Building Inspection Division, located at 435 N. Macomb Street, 1st Floor, telephone number (850) 891-7001 option 2.

**USPS CERTIFIED MAIL** 



9214 8901 9403 8357 7792 79

TCE240479 NOV/NOH INITIAL CAROLINA KING OWNER LLC 1472 HARBOUR WALK RD TAMPA FL 33602-5971

Return Reference Number: Username: Denise Garrett

Custom 1: Custom 2:

Custom 3:

Custom 4:

Custom 5:



April 17, 2024

CITY OF TALLAHASSEE

Petitioner.

VS

SAIB YASEMIN CHILDRENS REVOCABLE TRUST YASEMIN SAIB 8862 SOUTHERN ORCHARD RD DAVIE FL 33328-6956

Respondent

Case No.: TCE240535

Location of Violation: 540 W BREVARD ST
Tax ID #: 2125280000070

The appearance of our community and how individual properties are maintained has a significant impact on the quality of life in our neighborhoods. A recent inspection of your property revealed that certain conditions found do not comply with City code. These violations, the corrective action required and the time frame for completing that corrective action are noted on the attached violation detail.

Pursuant to Chapter 162 of the Florida Statutes, and Chapter 2 of the Code of General Ordinances of the City of Tallahassee, the Code Enforcement Officer hereby gives the notice of a violation on the above referenced property and hereby requests that a Hearing be scheduled before the Code Magistrate.

You must correct the violation described herein within the number of days noted on the attached violation detail. Once corrected, you must contact the City Code Enforcement Division at **(850) 891-7007** to arrange a reinspection of the property to verify the violation has been corrected and the property is in compliance with the Municipal Code cited herein.

You are hereby given notice that pursuant to Chapter 162, Florida Statutes, and Chapter 2 of the Code of General Ordinances of the City of Tallahassee, a hearing will be conducted on the above referenced case before the Code Magistrate on 06/04/2024 at 1:00 pm, or as soon thereafter as said matter can be heard in the 2nd Floor Conference Room, Renaissance Center, 435 N Macomb Street, Tallahassee, Florida. If the violation(s) are corrected within the number of days noted on the attached violation detail, you may not have to appear before the Code Magistrate.

Failure to comply may result in the City of Tallahassee correcting the violation(s) and assessing the cost through placing a lien on the property until such time as all costs are reimbursed to the City. These costs may be recovered by court action, if necessary. Your case may be presented to the **Code Magistrate** even if the violation has been corrected prior to the hearing or if the structure is boarded.



Notice of Violation and Notice of Hearing

Page 2

The City's Board and Seal Ordinance, (Section 3-371, Tallahassee Land Development Code), includes a time limit for a structure to remain boarded. Cases involving boarded structures will be taken to the **Code Magistrate** for an order to be issued determining the time limit. If removal of boards reveals other code violations, those violations must also be corrected.

The Code Magistrate will receive testimony and evidence at said hearing and shall make findings of fact as are supported by the testimony and evidence pertaining to the matters alleged herein. If you fail to appear, the Code Magistrate may base its findings and conclusions solely on the testimony and evidence presented by the Code Enforcement Division.

Should you be found in violation of the Municipal Code, the Code Magistrate may impose a fine up to \$250.00 per day, per violation for each day that the violation(s) continues beyond the compliance date established by the Code Magistrate in the Final Order. If the Code Enforcement Board or Code Magistrate has previously declared you to be a repeat violator, the Code Magistrate may impose a fine of up to \$500.00 per day, per violation for each day the violation continues beyond the compliance date established by the Code Magistrate.

If any person desires to appeal any decision, with respect to the matter considered at these meetings, such person will need a record of the proceedings and that, for this purpose, such person may need to ensure that a verbatim record of the proceedings is made, which includes the testimony and evidence upon which the appeal is based. The City of Tallahassee does not provide or prepare such a record (refer to Section 286.0105, Florida Statutes).

Any party aggrieved by the decisions of the **Code Magistrate** may appeal the decision to the Leon County Circuit Court within 30 days of the execution of the order.

Building permits may be required before repairs or alterations can be made to any building. Building and demolition permits may be obtained from the City's Building Inspection Division, located at 435 N. Macomb Street, 1st Floor, telephone number (850) 891-7125.

If you have any questions concerning this notice or the hearing process, please contact our office at (850) 891-7007 or visit our office in the Renaissance Center located at 435 N. Macomb Street, Third Floor, Tallahassee, Florida. Once you correct the violation(s), contact our office immediately to request an inspection.

Sincerely,

### Lesa Vause

Code Enforcement Division

Attachment



### **Housing and Community Resilience Code Enforcement**

### **Notice of Violation**

Code Officer: Lesa Vause Permit No.: NA

Case No.: Initial Inspection Date: 04/05/2024 TCE240535

Tax Identification Number: Repeat Offender: 2125280000070 No

Violation Address: 540 W BREVARD ST

Owner(s):

SAIB YASEMIN CHILDRENS REVOCABLE TRUST YASEMIN SAIB 8862 SOUTHERN ORCHARD RD DAVIE FL 33328-6956

You are required to correct the following code violations within 15 days of receipt of this notice.

Code(s) in Violation:

### Other

302.1 Sanitation. 1

Corrective Actions Required:

1 Remove all trash and debris from the entire property.

If you have any questions concerning these violations, please call our office at (850) 891-7007.

Boarding a structure will not bring the property into compliance. If windows and doors are boarded the case will be scheduled for a hearing before the Municipal Code Enforcement Board whereby the City will request an order be issued to set a time limit on the boarding of the structure. Building permits may be required before repairs or alterations can be made to any building. Building and

demolition permits may be obtained from the City's Building Inspection Division, located at 435 N.

Macomb Street, 1st Floor, telephone number (850) 891-7001 option 2.

USPS CERTIFIED MAIL



9214 8901 9403 8357 7787 22

TCE240535 NOV/NOH INITIAL SAIB YASEMIN CHILDRENS REVOCABLE TRUST YASEMIN SAIB TRUSTEE 8862 SOUTHERN ORCHARD RD N DAVIE FL 33328-6956

Return Reference Number: Username: Denise Garrett

Custom 1: Custom 2:

Custom 3:

Custom 4:

Custom 5:



April 17, 2024

CITY OF TALLAHASSEE

Petitioner.

VS.

COREY ADAM B 400 ALTON RD APT 507 MIAMI BEACH FL 33139

Respondent

Case No.: TCE240576

Location of Violation: 2006 ALTON RD Tax ID #: 212270 H0020

The appearance of our community and how individual properties are maintained has a significant impact on the quality of life in our neighborhoods. A recent inspection of your property revealed that certain conditions found do not comply with City code. These violations, the corrective action required and the time frame for completing that corrective action are noted on the attached violation detail.

Pursuant to Chapter 162 of the Florida Statutes, and Chapter 2 of the Code of General Ordinances of the City of Tallahassee, the Code Enforcement Officer hereby gives the notice of a violation on the above referenced property and hereby requests that a Hearing be scheduled before the Code Magistrate.

You must correct the violation described herein within the number of days noted on the attached violation detail. Once corrected, you must contact the City Code Enforcement Division at (850) 891-7007 to arrange a reinspection of the property to verify the violation has been corrected and the property is in compliance with the Municipal Code cited herein.

You are hereby given notice that pursuant to Chapter 162, Florida Statutes, and Chapter 2 of the Code of General Ordinances of the City of Tallahassee, a hearing will be conducted on the above referenced case before the Code Magistrate on 06/04/2024 at 1:00 pm, or as soon thereafter as said matter can be heard in the 2nd Floor Conference Room, Renaissance Center, 435 N Macomb Street, Tallahassee, Florida. If the violation(s) are corrected within the number of days noted on the attached violation detail, you may not have to appear before the Code Magistrate.

Failure to comply may result in the City of Tallahassee correcting the violation(s) and assessing the cost through placing a lien on the property until such time as all costs are reimbursed to the City. These costs may be recovered by court action, if necessary. Your case may be presented to the **Code Magistrate** even if the violation has been corrected prior to the hearing or if the structure is boarded.



Notice of Violation and Notice of Hearing

Page 2

The City's Board and Seal Ordinance, (Section 3-371, Tallahassee Land Development Code), includes a time limit for a structure to remain boarded. Cases involving boarded structures will be taken to the **Code Magistrate** for an order to be issued determining the time limit. If removal of boards reveals other code violations, those violations must also be corrected.

The Code Magistrate will receive testimony and evidence at said hearing and shall make findings of fact as are supported by the testimony and evidence pertaining to the matters alleged herein. If you fail to appear, the Code Magistrate may base its findings and conclusions solely on the testimony and evidence presented by the Code Enforcement Division.

Should you be found in violation of the Municipal Code, the Code Magistrate may impose a fine up to \$250.00 per day, per violation for each day that the violation(s) continues beyond the compliance date established by the Code Magistrate in the Final Order. If the Code Enforcement Board or Code Magistrate has previously declared you to be a repeat violator, the Code Magistrate may impose a fine of up to \$500.00 per day, per violation for each day the violation continues beyond the compliance date established by the Code Magistrate.

If any person desires to appeal any decision, with respect to the matter considered at these meetings, such person will need a record of the proceedings and that, for this purpose, such person may need to ensure that a verbatim record of the proceedings is made, which includes the testimony and evidence upon which the appeal is based. The City of Tallahassee does not provide or prepare such a record (refer to Section 286.0105, Florida Statutes).

Any party aggrieved by the decisions of the **Code Magistrate** may appeal the decision to the Leon County Circuit Court within 30 days of the execution of the order.

Building permits may be required before repairs or alterations can be made to any building. Building and demolition permits may be obtained from the City's Building Inspection Division, located at 435 N. Macomb Street, 1st Floor, telephone number (850) 891-7125.

If you have any questions concerning this notice or the hearing process, please contact our office at (850) 891-7007 or visit our office in the Renaissance Center located at 435 N. Macomb Street, Third Floor, Tallahassee, Florida. Once you correct the violation(s), contact our office immediately to request an inspection.

Sincerely,

### Lesa Vause

Code Enforcement Division

Attachment



### Housing and Community Resilience Code Enforcement

### **Notice of Violation**

Code Officer: Lesa Vause Permit No.: NA

Initial Inspection Date: 04/04/2024 Case No.: TCE240576

Tax Identification Number: 212270 H0020 Repeat Offender: No.

Violation Address: 2006 ALTON RD

Owner(s):

COREY ADAM B 400 ALTON RD APT 507 MIAMI BEACH FL 33139

You are required to correct the following code violations within 15 days of receipt of this notice.

Code(s) in Violation:

### **Land Development Code**

1 302.1 Sanitation.

### Corrective Actions Required:

1 Remove all trash, litter, and debris from property particularly around the trash cans, including the pallets.

If you have any questions concerning these violations, please call our office at (850) 891-7007.

Boarding a structure will not bring the property into compliance. If windows and doors are boarded the case will be scheduled for a hearing before the Municipal Code Enforcement Board whereby the City will request an order be issued to set a time limit on the boarding of the structure.

Building permits may be required before repairs or alterations can be made to any building. Building and demolition permits may be obtained from the City's Building Inspection Division, located at 435 N. Macomb Street, 1st Floor, telephone number (850) 891-7001 option 2.

**USPS CERTIFIED MAIL** 



9214 8901 9403 8357 8076 99

TCE240576 NOV/NOH INITIAL COREY ADAM B APT 507 400 ALTON RD MIAMI BEACH FL 33139-6739

Return Reference Number: Username: Denise Garrett

Custom 1: Custom 2:

Custom 3:

Custom 4:

Custom 5:

Postage: \$7.3600



### Housing and Community Resilience Code Enforcement Division

April 17, 2024

BRUCE PATRICIA U PO BOX 5223 TALLAHASSEE FL 32314

Re: Address: 3107200250000 923 Ashburn Dr.

Case No.: TCE240624 Tax I.D. # 3107200250000

Dear Sir or Madam:

The Leon County Property Appraiser's records list you as the owner of the above referenced property. In performing code violation inspections in this area, we have found that your property is in violation of the City of Tallahassee Code pertaining to overgrowth and/or trash and debris. You are required to correct the violation within the time specified on the attached violation checklist. Included on the checklist is the action you will need to take to correct the violation. Once the violation has been corrected, please notify our office immediately so that a re-inspection of your property can be completed to verify compliance allowing this office to close this case.

It is important that you resolve this code violation promptly as failure to do so will require the City to correct the violation and the contractor's cost plus our administrative fee will then be assessed against your property through a special assessment lien. The City also has the right to exercise the option of foreclosure on your property once liens are levied. It is not our desire to take this action and it would be less expensive for you to correct the violation compared to the costs for the City to correct the violation. We want to work with you to correct this code violation. If you feel additional time will be necessary, please call our office. You will be required to submit your request in writing.

If you disagree with our findings, you may request a hearing at the next regularly scheduled meeting of the Code Magistrate to contest the City's determination regarding the need for lot clearance. Your request for a hearing must be submitted in writing to City of Tallahassee, Housing and Community Resilience, Code Enforcement Division, 300 South Adams Street, B-15, Tallahassee, FL 32301 or faxed to our office directly at (850) 891-0976. The case number and property address must also be included on your request for a hearing.

If you have any questions concerning this notice, please contact our office at (850) 891-7007 or visit our office in the Renaissance Center located at 435 N. Macomb Street, Third Floor, Tallahassee, Florida. Once you correct the violation(s), contact our office immediately to request an inspection.

Sincerely,

Martin Atorresagasti

Code Enforcement Division Attachment



### Housing and Community Resilience Code Enforcement

### **Notice of Violation**

Code Officer: Martin Atorresagasti Permit No.: NA

Initial Inspection Date: 04/16/2024 Case No.: TCE240624

Tax Identification Number: 3107200250000 Repeat Offender: No

Violation Address: 3107200250000 923 Ashburn Dr.

Owner(s):

BRUCE PATRICIA U PO BOX 5223 TALLAHASSEE FL 32314

You are required to correct the following code violations within 15 days of receipt of this notice.

Code(s) in Violation:

### **Code of General Ordinances**

Macomb Street, 1st Floor, telephone number (850) 891-7001 option 2.

1 Chapter 9, Article III- Offensive Accumulations & Growth

### Corrective Actions Required:

1 Mow lawn removing all high grass, weeds and overgrowth. Maybe subject to lot mow.

If you have any questions concerning these violations, please call our office at (850) 891-7007.

Boarding a structure will not bring the property into compliance. If windows and doors are boarded the case will be scheduled for a hearing before the Municipal Code Enforcement Board whereby the City will request an order be issued to set a time limit on the boarding of the structure.

Building permits may be required before repairs or alterations can be made to any building. Building and demolition permits may be obtained from the City's Building Inspection Division, located at 435 N.

**USPS CERTIFIED MAIL** 



9214 8901 9403 8357 8060 29

TCE240624 LM/NOV BRUCE PATRICIA U PO BOX 5223 TALLAHASSEE FL 32314-5223

Return Reference Number:

Username: Denise Garrett

Custom 1: Custom 2:

Custom 3:

Custom 4:

Custom 5:

Postage: \$7.3600

City of Tallahassee
Housing and Community Resilience
Code Enforcement
435 N Macomb St, 3rd Floor, Tallahassee, FL 32301
(850) 891-7007

### DANGEROUS BUILDING NOTICE

Address: 2322 TALLEY LN

CE Case No.: <u>TCE240613</u>

This building has been found to be dangerous by the enforcement official. This notice is to remain on this building as placed thereon until the requirements of the notice, which have been posted have been fully complied with. It is unlawful to remove this notice until such requirements have been complied with. Violators subject to a fine not exceeding \$500.00 or imprisonment for a term not exceeding 60 days or both. (Section 1-7, Tallahassee Land Development).



April 24, 2024

CITY OF TALLAHASSEE

Petitioner.

VS.

LAWSON DAVID B 2322 TALLEY LN TALLAHASSEE FL 32303

Respondent

Case No.: TCE240613

Location of Violation: 2322 TALLEY LN
Tax ID #: 2121511203401

The appearance of our community and how individual properties are maintained has a significant impact on the quality of life in our neighborhoods. A recent inspection of your property revealed that certain conditions found do not comply with City code. These violations, the corrective action required and the time frame for completing that corrective action are noted on the attached violation detail.

Pursuant to Chapter 162 of the Florida Statutes, and Chapter 2 of the Code of General Ordinances of the City of Tallahassee, the Code Enforcement Officer hereby gives the notice of a violation on the above referenced property and hereby requests that a Hearing be scheduled before the Code Magistrate.

You must correct the violation described herein within the number of days noted on the attached violation detail. Once corrected, you must contact the City Code Enforcement Division at **(850) 891-7007** to arrange a reinspection of the property to verify the violation has been corrected and the property is in compliance with the Municipal Code cited herein.

You are hereby given notice that pursuant to Chapter 162, Florida Statutes, and Chapter 2 of the Code of General Ordinances of the City of Tallahassee, a hearing will be conducted on the above referenced case before the Code Magistrate on 06/04/2024 at 1:00 pm, or as soon thereafter as said matter can be heard in the 2nd Floor Conference Room, Renaissance Center, 435 N Macomb Street, Tallahassee, Florida. If the violation(s) are corrected within the number of days noted on the attached violation detail, you may not have to appear before the Code Magistrate.

Failure to comply may result in the City of Tallahassee correcting the violation(s) and assessing the cost through placing a lien on the property until such time as all costs are reimbursed to the City. These costs may be recovered by court action, if necessary. Your case may be presented to the **Code Magistrate** even if the violation has been corrected prior to the hearing or if the structure is boarded.



Notice of Violation and Notice of Hearing

Page 2

The City's Board and Seal Ordinance, (Section 3-371, Tallahassee Land Development Code), includes a time limit for a structure to remain boarded. Cases involving boarded structures will be taken to the **Code Magistrate** for an order to be issued determining the time limit. If removal of boards reveals other code violations, those violations must also be corrected.

The Code Magistrate will receive testimony and evidence at said hearing and shall make findings of fact as are supported by the testimony and evidence pertaining to the matters alleged herein. If you fail to appear, the Code Magistrate may base its findings and conclusions solely on the testimony and evidence presented by the Code Enforcement Division.

Should you be found in violation of the Municipal Code, the Code Magistrate may impose a fine up to \$250.00 per day, per violation for each day that the violation(s) continues beyond the compliance date established by the Code Magistrate in the Final Order. If the Code Enforcement Board or Code Magistrate has previously declared you to be a repeat violator, the Code Magistrate may impose a fine of up to \$500.00 per day, per violation for each day the violation continues beyond the compliance date established by the Code Magistrate.

If any person desires to appeal any decision, with respect to the matter considered at these meetings, such person will need a record of the proceedings and that, for this purpose, such person may need to ensure that a verbatim record of the proceedings is made, which includes the testimony and evidence upon which the appeal is based. The City of Tallahassee does not provide or prepare such a record (refer to Section 286.0105, Florida Statutes).

Any party aggrieved by the decisions of the **Code Magistrate** may appeal the decision to the Leon County Circuit Court within 30 days of the execution of the order.

Building permits may be required before repairs or alterations can be made to any building. Building and demolition permits may be obtained from the City's Building Inspection Division, located at 435 N. Macomb Street, 1st Floor, telephone number (850) 891-7125.

If you have any questions concerning this notice or the hearing process, please contact our office at (850) 891-7007 or visit our office in the Renaissance Center located at 435 N. Macomb Street, Third Floor, Tallahassee, Florida. Once you correct the violation(s), contact our office immediately to request an inspection.

Sincerely,

### Shameka Bush

Code Enforcement Division

Attachment

Case No.: **TCE240613** 



### Housing and Community Resilience Code Enforcement

### **Notice of Violation**

Code Officer: Shameka Bush Permit No.: NA

Initial Inspection Date: 04/23/2024 Case No.: TCE240613

Tax Identification Number: 2121511203401 Repeat Offender: No

Violation Address: 2322 TALLEY LN

Owner(s):

LAWSON DAVID B 2322 TALLEY LN TALLAHASSEE FL 32303

This structure has been deemed dangerous due to unsafe and/or unsanitary conditions as defined in the **Tallahassee Land Development Code sec.1-2.** 

You are required to correct the following code violations within 5 days of receipt of this notice.

### Code(s) in Violation:

### **International Property Maintenance Code (IPMC)**

- 1 IPMC 302.1 Sanitation.
- 2 IPMC 304.13 Window, skylight, and door frames.
- 3 IPMC 604.3.2.1 Electrical equipment.
- 4 IPMC 301.3 Vacant structures and land.

### Corrective Actions Required:

- 1 Ensure the removal of all trash, debris, tires, and metal from the property, including the front, back, and sides of the yard.
- 2 Repair the broken windows, in the front of the structure.
- 3 Replace and properly install the lighting fixture on the front of the home, that has been exposed to fire. Ensure that the fixture be replaced and installed in accordance with the provisions of the International Building Code.
- 4 If the property is intended to be vacant, ensure that all windows and doors are in a secured and sound condition.

Case No.: **TCE240613** 

If you have any questions concerning these violations, please call our office at (850) 891-7007.

Boarding a structure will not bring the property into compliance. If windows and doors are boarded the case will be scheduled for a hearing before the Municipal Code Enforcement Board whereby the City will request an order be issued to set a time limit on the boarding of the structure.

Building permits may be required before repairs or alterations can be made to any building. Building and demolition permits may be obtained from the City's Building Inspection Division, located at 435 N. Macomb Street, 1st Floor, telephone number (850) 891-7001 option 2.

**USPS CERTIFIED MAIL** 



9214 8901 9403 8358 8401 76

TCE240613 DB PLACARD/NOV/NOH LAWSON DAVID B 2322 TALLEY LN TALLAHASSEE FL 32303-3242

Return Reference Number: Username: Denise Garrett

Custom 1: Custom 2:

Custom 3:

Custom 4:

Custom 5:

Postage: \$7.3600

City of Tallahassee
Housing and Community Resilience
Code Enforcement
435 N Macomb St, 3rd Floor, Tallahassee, FL 32301
(850) 891-7007

### DANGEROUS BUILDING NOTICE

Address: 2295 TINA DR

CE Case No.: <u>TCE240504</u>

This building has been found to be dangerous by the enforcement official. This notice is to remain on this building as placed thereon until the requirements of the notice, which have been posted have been fully complied with. It is unlawful to remove this notice until such requirements have been complied with. Violators subject to a fine not exceeding \$500.00 or imprisonment for a term not exceeding 60 days or both. (Section 1-7, Tallahassee Land Development).



April 10, 2024

CITY OF TALLAHASSEE

Petitioner.

VS. AHANOTU DIKE

400 CAPITAL CIR STE # 18

BOX #197

TALLAHASSEE FL 32301

Respondent

Case No.: TCE240504

Location of Violation: 2295 TINA DR
Tax ID #: 1133170020340

The appearance of our community and how individual properties are maintained has a significant impact on the quality of life in our neighborhoods. A recent inspection of your property revealed that certain conditions found do not comply with City code. These violations, the corrective action required and the time frame for completing that corrective action are noted on the attached violation detail.

Pursuant to Chapter 162 of the Florida Statutes, and Chapter 2 of the Code of General Ordinances of the City of Tallahassee, the Code Enforcement Officer hereby gives the notice of a violation on the above referenced property and hereby requests that a Hearing be scheduled before the Code Magistrate.

You must correct the violation described herein within the number of days noted on the attached violation detail. Once corrected, you must contact the City Code Enforcement Division at **(850) 891-7007** to arrange a reinspection of the property to verify the violation has been corrected and the property is in compliance with the Municipal Code cited herein.

You are hereby given notice that pursuant to Chapter 162, Florida Statutes, and Chapter 2 of the Code of General Ordinances of the City of Tallahassee, a hearing will be conducted on the above referenced case before the Code Magistrate on 06/04/2024 at 1:00 pm, or as soon thereafter as said matter can be heard in the 2nd Floor Conference Room, Renaissance Center, 435 N Macomb Street, Tallahassee, Florida. If the violation(s) are corrected within the number of days noted on the attached violation detail, you may not have to appear before the Code Magistrate.

Failure to comply may result in the City of Tallahassee correcting the violation(s) and assessing the cost through placing a lien on the property until such time as all costs are reimbursed to the City. These costs may be recovered by court action, if necessary. Your case may be presented to the **Code Magistrate** even if the violation has been corrected prior to the hearing or if the structure is boarded.



Notice of Violation and Notice of Hearing

Page 2

The City's Board and Seal Ordinance, (Section 3-371, Tallahassee Land Development Code), includes a time limit for a structure to remain boarded. Cases involving boarded structures will be taken to the **Code Magistrate** for an order to be issued determining the time limit. If removal of boards reveals other code violations, those violations must also be corrected.

The Code Magistrate will receive testimony and evidence at said hearing and shall make findings of fact as are supported by the testimony and evidence pertaining to the matters alleged herein. If you fail to appear, the Code Magistrate may base its findings and conclusions solely on the testimony and evidence presented by the Code Enforcement Division.

Should you be found in violation of the Municipal Code, the Code Magistrate may impose a fine up to \$250.00 per day, per violation for each day that the violation(s) continues beyond the compliance date established by the Code Magistrate in the Final Order. If the Code Enforcement Board or Code Magistrate has previously declared you to be a repeat violator, the Code Magistrate may impose a fine of up to \$500.00 per day, per violation for each day the violation continues beyond the compliance date established by the Code Magistrate.

If any person desires to appeal any decision, with respect to the matter considered at these meetings, such person will need a record of the proceedings and that, for this purpose, such person may need to ensure that a verbatim record of the proceedings is made, which includes the testimony and evidence upon which the appeal is based. The City of Tallahassee does not provide or prepare such a record (refer to Section 286.0105, Florida Statutes).

Any party aggrieved by the decisions of the **Code Magistrate** may appeal the decision to the Leon County Circuit Court within 30 days of the execution of the order.

Building permits may be required before repairs or alterations can be made to any building. Building and demolition permits may be obtained from the City's Building Inspection Division, located at 435 N. Macomb Street, 1st Floor, telephone number (850) 891-7125.

If you have any questions concerning this notice or the hearing process, please contact our office at (850) 891-7007 or visit our office in the Renaissance Center located at 435 N. Macomb Street, Third Floor, Tallahassee, Florida. Once you correct the violation(s), contact our office immediately to request an inspection.

Sincerely,

### Shameka Bush

Code Enforcement Division

Attachment

Case No.: TCE240504



### Housing and Community Resilience Code Enforcement

### **Notice of Violation**

Code Officer: Shameka Bush Permit No.: NA

Initial Inspection Date: 04/09/2024 Case No.: TCE240504

Tax Identification Number: 1133170020340 Repeat Offender: No

Violation Address: 2295 TINA DR

Owner(s):

AHANOTU DIKE

400 CAPITAL CIR STE # 18

BOX #197

This structure has been deemed dangerous due to unsafe and/or unsanitary conditions as defined in the **Tallahassee Land Development Code sec.1-2**.

You are required to correct the following code violations within 5 days of receipt of this notice.

### Code(s) in Violation:

### **International Property Maintenance Code (IPMC)**

- 1 IPMC 304.13 Window, skylight, and door frames
- 2 IPMC 309.1 Infestation
- 3 IPMC 605.1 Installation
- 4 IPMC 305.2 Structural members.
- 5 IMPC 305.4 Stairs and Walking Surfaces.
- **6** IPMC 301.2 Responsibility.

### Corrective Actions Required:

- 1 Replace the weather stripping around the front door and ensure that the door and frame are in sound condition, in good repair, and weathertight.
- 2 Structures shall be kept free from insect and rodent infestation. Secure an exterminator to promptly eliminate the infestation of roaches at the home and take proper precautions to prevent re-infestation.

Case No.: **TCE240504** 

- 3 Electrical equipment, wiring, and appliances shall be properly installed and maintained in a safe and approved manner.
  - Provide a globe to the lighting fixture on the exterior of the home.
- 4 Ensure structural members are maintained structurally sound and are capable of supporting the imposed loads.
- **5** Ensure every stair, ramp, landing, balcony, porch, deck, or other walking surface are maintained in sound condition and in good repair.
- 6 Ensure that while the structure is occupied, it is in a safe and sanitary condition.

If you have any questions concerning these violations, please call our office at (850) 891-7007.

Boarding a structure will not bring the property into compliance. If windows and doors are boarded the case will be scheduled for a hearing before the Municipal Code Enforcement Board whereby the City will request an order be issued to set a time limit on the boarding of the structure. Building permits may be required before repairs or alterations can be made to any building. Building and

Building permits may be required before repairs or alterations can be made to any building. Building and demolition permits may be obtained from the City's Building Inspection Division, located at 435 N. Macomb Street, 1st Floor, telephone number (850) 891-7001 option 2.

**USPS CERTIFIED MAIL** 



9214 8901 9403 8358 8528 89

TCE240504 DB PLACARD/NOV/NOH AHANOTU DIKE 400 CAPITAL CIR STE # 18 BOX #197 TALLAHASSEE FL 32301

Return Reference Number: Username: Denise Garrett

Custom 1: Custom 2:

Custom 3:

Custom 4:

Custom 5:

City of Tallahassee Housing and Community Resilience Code Enforcement 435 N Macomb St, 3rd Floor, Tallahassee, FL 32301 (850) 891-7007

## DANGEROUS

# BUILDING NOTICE

Address: 419 ESSEX DR

CE Case No.: TCE221884

fully days or both. (Section 1-7, Tallahassee Land Development). this building as placed thereon until the requirements of the notice, which have been posted have been This building has been found to be dangerous by the enforcement official. complied with. It is unlawful to remove this notice until such requirements have been complied Violators subject to a fine not exceeding \$500.00 or imprisonment for a term not exceeding 60 This notice is to remain on

dam jaco (Apr 24, 2024 10:11 EDT)

Enforcing Official, Code Enforcement

04/24/2024

フ す す



April 22, 2024

CITY OF TALLAHASSEE

Petitioner,

VS.

LADD LARRY 419 ESSEX DR TALLAHASSEE FL 32304

Respondent

Case No.:

TCE221884

Location of Violation:

419 ESSEX DR

Tax ID #:

213426 E0070

The appearance of our community and how individual properties are maintained has a significant impact on the quality of life in our neighborhoods. A recent inspection of your property revealed that certain conditions found do not comply with City code. These violations, the corrective action required and the time frame for completing that corrective action are noted on the attached violation detail.

Pursuant to Chapter 162 of the Florida Statutes, and Chapter 2 of the Code of General Ordinances of the City of Tallahassee, the Code Enforcement Officer hereby gives the notice of a violation on the above referenced property and hereby requests that a Hearing be scheduled before the Code Magistrate.

You must correct the violation described herein within the number of days noted on the attached violation detail. Once corrected, you must contact the City Code Enforcement Division at (850) 891-7007 to arrange a reinspection of the property to verify the violation has been corrected and the property is in compliance with the Municipal Code cited herein.

You are hereby given notice that pursuant to Chapter 162, Florida Statutes, and Chapter 2 of the Code of General Ordinances of the City of Tallahassee, a hearing will be conducted on the above referenced case before the Code Magistrate on 06/04/2024 at 1:00 pm, or as soon thereafter as said matter can be heard in the 2nd Floor Conference Room, Renaissance Center, 435 N Macomb Street, Tallahassee, Florida. If the violation(s) are corrected within the number of days noted on the attached violation detail, you may not have to appear before the Code Magistrate.

Failure to comply may result in the City of Tallahassee correcting the violation(s) and assessing the cost through placing a lien on the property until such time as all costs are reimbursed to the City. These costs may be recovered by court action, if necessary. Your case may be presented to the Code Magistrate even if the violation has been corrected prior to the hearing or if the structure is boarded.



Notice of Violation and Notice of Hearing

Page 2

The City's Board and Seal Ordinance, (Section 3-371, Tallahassee Land Development Code), includes a time limit for a structure to remain boarded. Cases involving boarded structures will be taken to the Code Magistrate for an order to be issued determining the time limit. If removal of boards reveals other code violations, those violations must also be corrected.

The Code Magistrate will receive testimony and evidence at said hearing and shall make findings of fact as are supported by the testimony and evidence pertaining to the matters alleged herein. If you fail to appear, the Code Magistrate may base its findings and conclusions solely on the testimony and evidence presented by the Code Enforcement Division.

Should you be found in violation of the Municipal Code, the Code Magistrate may impose a fine up to \$250.00 per day, per violation for each day that the violation(s) continues beyond the compliance date established by the Code Magistrate in the Final Order. If the Code Enforcement Board or Code Magistrate has previously declared you to be a repeat violator, the Code Magistrate may impose a fine of up to \$500.00 per day, per violation for each day the violation continues beyond the compliance date established by the Code Magistrate.

If any person desires to appeal any decision, with respect to the matter considered at these meetings, such person will need a record of the proceedings and that, for this purpose, such person may need to ensure that a verbatim record of the proceedings is made, which includes the testimony and evidence upon which the appeal is based. The City of Tallahassee does not provide or prepare such a record (refer to Section 286.0105, Florida Statutes).

Any party aggrieved by the decisions of the **Code Magistrate** may appeal the decision to the Leon County Circuit Court within 30 days of the execution of the order.

Building permits may be required before repairs or alterations can be made to any building. Building and demolition permits may be obtained from the City's Building Inspection Division, located at 435 N. Macomb Street, 1st Floor, telephone number (850) 891-7125.

If you have any questions concerning this notice or the hearing process, please contact our office at (850) 891-7007 or visit our office in the Renaissance Center located at 435 N. Macomb Street, Third Floor, Tallahassee, Florida. Once you correct the violation(s), contact our office immediately to request an inspection.

Sincerely,

### Jency Probert

Code Enforcement Division

Attachment

Case No.: **TCE221884** 



### Housing and Community Resilience Code Enforcement

### **Notice of Violation**

Code Officer: Jency Probert

Permit No.:

NA

Initial Inspection Date: 09/08/2022

.0/2022

Case No.:

TCE221884

Tax Identification Number: 213426 E0070

Repeat Offender:

No

Violation A

Violation Address: 419 ESSEX DR

Owner(s):

LADD LARRY 419 ESSEX DR

TALLAHASSEE FL 32304

This structure has been deemed dangerous due to unsafe and/or unsanitary conditions as defined in the **Tallahassee Land Development Code Sec. 1-2.** 

You are required to correct the following code violations within 15 days of receipt of this notice.

### Code(s) in Violation:

### **International Property Maintenance Code (IPMC)**

- 1 IPMC Chapter 3, Section 304 ~ Exterior Structure 304.1 General.
- 2 IPMC Chapter 3, Section 305 ~ Interior Structure 305.1 General.
- 3 IPMC 302.1 Sanitation.
- 4 IPMC 301.2 Responsibility.

### Corrective Actions Required:

Ensure exterior of a structure is maintained in good repair, structurally sound and sanitary so as not to pose a threat to the public health, safety, or welfare.

Repair or replace all damaged soffits, trim, and roofing materials as required to the applicable building codes. Repair or replace the front door as required to the applicable building code. Ensure all doors and windows are fully functional and weather tight. A building permit and a licensed contractor may be required for repairs.

Case No.: **TCE221884** 

2 Ensure the interior of a structure and equipment therein is maintained in good repair, structurally sound and in a sanitary condition.

- 3 Ensure all trash and debris is removed from the property, including but not limited to, appliances not in use.
- 4 The owner of the premises is responsible for maintaining the structure in a clean, safe, and sanitary condition. Ensure that all portions of the interior and exterior of your property is maintained in a safe and sanitary condition, including all of the required utilities being fully functional.

If you have any questions concerning these violations, please call our office at (850) 891-7007.

Boarding a structure will not bring the property into compliance. If windows and doors are boarded the case will be scheduled for a hearing before the Municipal Code Enforcement Board whereby the City will request an order be issued to set a time limit on the boarding of the structure. Building permits may be required before repairs or alterations can be made to any building. Building and demolition permits may be obtained from the City's Building Inspection Division, located at 435 N. Macomb Street, 1st Floor, telephone number (850) 891-7001 option 2.

**USPS CERTIFIED MAIL** 



9214 8901 9403 8358 5361 09

TCE221884 DB PLACARD/NOV/NOH LADD LARRY 419 ESSEX DR TALLAHASSEE FL 32304-3917

Return Reference Number: Username: Denise Garrett

Custom 1: Custom 2: Custom 3: Custom 4:

Custom 5:

Postage: \$7.3600

City of Tallahassee Housing and Community Resilience Code Enforcement 435 N Macomb St, 3rd Floor, Tallahassee, FL 32301 (850) 891-7007

## DANGEROUS

# BUILDING NOTICE

Address: 1569 CALDWELL DR

CE Case No.: TCE240305

days or both. (Section 1-7, Tallahassee Land Development). fully complied with. It is unlawful to remove this notice until such requirements have been complied this building as placed thereon until the requirements of the notice, which have been posted have been This building has been found to be dangerous by the enforcement official. Violators subject to a fine not exceeding \$500.00 or imprisonment for a term not exceeding 60 This notice is to remain on



04/24/2024



April 22, 2024

CITY OF TALLAHASSEE

Petitioner,

vs.

SALTER CAROL LYNN & SALTER HEATHER ANN 1569 CALDWELL DR TALLAHASSEE FL 32310

Respondent

Case No.: TCE240305

Location of Violation: 1569 CALDWELL DR

Tax ID #: 410480 J0100

The appearance of our community and how individual properties are maintained has a significant impact on the quality of life in our neighborhoods. A recent inspection of your property revealed that certain conditions found do not comply with City code. These violations, the corrective action required and the time frame for completing that corrective action are noted on the attached violation detail.

Pursuant to Chapter 162 of the Florida Statutes, and Chapter 2 of the Code of General Ordinances of the City of Tallahassee, the Code Enforcement Officer hereby gives the notice of a violation on the above referenced property and hereby requests that a Hearing be scheduled before the Code Magistrate.

You must correct the violation described herein within the number of days noted on the attached violation detail. Once corrected, you must contact the City Code Enforcement Division at (850) 891-7007 to arrange a reinspection of the property to verify the violation has been corrected and the property is in compliance with the Municipal Code cited herein.

You are hereby given notice that pursuant to Chapter 162, Florida Statutes, and Chapter 2 of the Code of General Ordinances of the City of Tallahassee, a hearing will be conducted on the above referenced case before the Code Magistrate on 06/04/2024 at 1:00 pm, or as soon thereafter as said matter can be heard in the 2nd Floor Conference Room, Renaissance Center, 435 N Macomb Street, Tallahassee, Florida. If the violation(s) are corrected within the number of days noted on the attached violation detail, you may not have to appear before the Code Magistrate.

Failure to comply may result in the City of Tallahassee correcting the violation(s) and assessing the cost through placing a lien on the property until such time as all costs are reimbursed to the City. These costs may be recovered by court action, if necessary. Your case may be presented to the Code Magistrate even if the violation has been corrected prior to the hearing or if the structure is boarded.



Notice of Violation and Notice of Hearing

Page 2

The City's Board and Seal Ordinance, (Section 3-371, Tallahassee Land Development Code), includes a time limit for a structure to remain boarded. Cases involving boarded structures will be taken to the **Code Magistrate** for an order to be issued determining the time limit. If removal of boards reveals other code violations, those violations must also be corrected.

The Code Magistrate will receive testimony and evidence at said hearing and shall make findings of fact as are supported by the testimony and evidence pertaining to the matters alleged herein. If you fail to appear, the Code Magistrate may base its findings and conclusions solely on the testimony and evidence presented by the Code Enforcement Division.

Should you be found in violation of the Municipal Code, the Code Magistrate may impose a fine up to \$250.00 per day, per violation for each day that the violation(s) continues beyond the compliance date established by the Code Magistrate in the Final Order. If the Code Enforcement Board or Code Magistrate has previously declared you to be a repeat violator, the Code Magistrate may impose a fine of up to \$500.00 per day, per violation for each day the violation continues beyond the compliance date established by the Code Magistrate.

If any person desires to appeal any decision, with respect to the matter considered at these meetings, such person will need a record of the proceedings and that, for this purpose, such person may need to ensure that a verbatim record of the proceedings is made, which includes the testimony and evidence upon which the appeal is based. The City of Tallahassee does not provide or prepare such a record (refer to Section 286.0105, Florida Statutes).

Any party aggrieved by the decisions of the **Code Magistrate** may appeal the decision to the Leon County Circuit Court within 30 days of the execution of the order.

Building permits may be required before repairs or alterations can be made to any building. Building and demolition permits may be obtained from the City's Building Inspection Division, located at 435 N. Macomb Street, 1st Floor, telephone number (850) 891-7125.

If you have any questions concerning this notice or the hearing process, please contact our office at (850) 891-7007 or visit our office in the Renaissance Center located at 435 N. Macomb Street, Third Floor, Tallahassee, Florida. Once you correct the violation(s), contact our office immediately to request an inspection.

Sincerely,

### Jency Probert

Code Enforcement Division

Attachment



### Housing and Community Resilience Code Enforcement

### **Notice of Violation**

Code Officer: Jency Probert Permit No.: NA

Initial Inspection Date: 02/23/2024 Case No.: TCE240305

Tax Identification Number: 410480 J0100 Repeat Offender: No

Violation Address: 1569 CALDWELL DR

Owner(s):

SALTER CAROL LYNN & SALTER HEATHER ANN 1569 CALDWELL DR TALLAHASSEE FL 32310

You are required to correct the following code violations within 5 days of receipt of this notice.

### Code(s) in Violation:

### Chapter 3, Article XI, Section 3-571, International Property Maintenance Code

1 IPMC Chapter 3, Section 309 Pest Elimination.

### Other

- 2 IPMC Chapter 3, Section 301.2 Responsibility.
- 3 IPMC 302.1 Sanitation.

### Corrective Actions Required:

- Take the proper steps to exterminate the mosquitos and other insects that are breeding in the containers in the backyard. Exterminate from the property insects, rodents, and vermin promptly by an approved processes that will not be injurious to human health. Remove the trash and debris from the yard to reduce attracting rodents and other animals or vermin living or scavenging for food through the trash and debris in the yard. Provide this office with documentation as to what has been done and will be done to prevent re-infestation.
- The owner of the premises shall ensure that the structures and exterior property are maintained in a clean, safe, and sanitary condition, and ensure that the property is not occupied if it is not in a clean, safe, and sanitary condition.
- Ensure the exterior property and premises are maintained in a clean, safe and sanitary condition. Ensure the occupant keeps that part of the exterior property that such occupant occupies or controls in a clean and sanitary condition. Properly dispose of all trash, debris, empty containers, vegetative debris, and other associated waste that is contributing to unsanitary and unsafe conditions.

Case No.: **TCE240305** 

If you have any questions concerning these violations, please call our office at (850) 891-7007.

Boarding a structure will not bring the property into compliance. If windows and doors are boarded the case will be scheduled for a hearing before the Municipal Code Enforcement Board whereby the City will request an order be issued to set a time limit on the boarding of the structure. Building permits may be required before repairs or alterations can be made to any building. Building and demolition permits may be obtained from the City's Building Inspection Division, located at 435 N. Macomb Street, 1st Floor, telephone number (850) 891-7001 option 2.

**USPS CERTIFIED MAIL** 



9214 8901 9403 8358 5345 70

TCE240305 DBPLACARD/NOV/NOH SALTER CAROL LYNN & SALTER HEATHER ANN 1569 CALDWELL DR TALLAHASSEE FL 32310-4952

Return Reference Number: Username: Denise Garrett

Custom 1: Custom 2:

Custom 3:

Custom 4:

Custom 5:

Postage: \$7.3600